



| <div> <div>Shaft diameter</div> <div>Unit</div> </div> |         | Main dimensions [mm] |      |     |      |      |      |     |    |      |     |
|--------------------------------------------------------|---------|----------------------|------|-----|------|------|------|-----|----|------|-----|
| d<br>[mm]                                              |         | L                    | H    | H1  | H2   | A    | A1   | J   | N  | B1   | s   |
| 12                                                     | USPP201 | 85,7                 | 22,2 | 2,4 | 43,2 | 25,4 | 15,9 | 68  | 9  | 22,0 | 6,0 |
|                                                        | ESPP201 | 85,7                 | 22,2 | 2,4 | 43,2 | 25,4 | 15,9 | 68  | 9  | 28,6 | 6,5 |
| 15                                                     | USPP202 | 85,7                 | 22,2 | 2,4 | 43,2 | 25,4 | 15,9 | 68  | 9  | 22,0 | 6,0 |
|                                                        | ESPP202 | 85,7                 | 22,2 | 2,4 | 43,2 | 25,4 | 15,9 | 68  | 9  | 28,6 | 6,5 |
| 17                                                     | USPP203 | 85,7                 | 22,2 | 2,4 | 43,2 | 25,4 | 15,9 | 68  | 9  | 22,0 | 6,0 |
|                                                        | ESPP203 | 85,7                 | 22,2 | 2,4 | 43,2 | 25,4 | 15,9 | 68  | 9  | 28,6 | 6,5 |
| 20                                                     | USPP204 | 98,4                 | 25,4 | 2,4 | 49,9 | 31,7 | 21,6 | 76  | 9  | 25,0 | 7,0 |
|                                                        | ESPP204 | 98,4                 | 25,4 | 2,4 | 49,9 | 31,7 | 21,6 | 76  | 9  | 30,9 | 7,5 |
| 25                                                     | USPP205 | 108,0                | 28,6 | 2,8 | 55,8 | 31,7 | 21,6 | 86  | 11 | 27,0 | 7,5 |
|                                                        | ESPP205 | 108,0                | 28,6 | 2,8 | 55,8 | 31,7 | 21,6 | 86  | 11 | 30,9 | 7,5 |
| 30                                                     | USPP206 | 117,5                | 33,3 | 3,6 | 65,7 | 37,5 | 25,5 | 95  | 11 | 30,0 | 8,0 |
|                                                        | ESPP206 | 117,5                | 33,3 | 3,6 | 65,7 | 37,5 | 25,5 | 95  | 11 | 35,7 | 9,0 |
| 35                                                     | USPP207 | 128,6                | 39,7 | 4,4 | 77,5 | 41,0 | 28,4 | 106 | 11 | 32,0 | 8,5 |
|                                                        | ESPP207 | 128,6                | 39,7 | 4,4 | 77,5 | 41,0 | 28,4 | 106 | 11 | 38,9 | 9,5 |



USPP200



ESPP200

Housing

Bearing insert

Dynamic load rating



Static load rating

Weight


Shaft diameter

| D1   | D2   |       |       | $C_r$<br>[kN] | $C_{0r}$<br>[kN] | [kg] | d<br>[mm] |
|------|------|-------|-------|---------------|------------------|------|-----------|
| 24,6 | -    | PP203 | US201 | 9,55          | 4,78             | 0,2  | 12        |
| -    | 28,6 | PP203 | ES201 | 9,55          | 4,78             | 0,2  |           |
| 24,6 | -    | PP203 | US202 | 9,55          | 4,78             | 0,2  | 15        |
| -    | 28,6 | PP203 | ES202 | 9,55          | 4,78             | 0,2  |           |
| 24,6 | -    | PP203 | US203 | 9,55          | 4,78             | 0,2  | 17        |
| -    | 28,6 | PP203 | ES203 | 9,55          | 4,78             | 0,2  |           |
| 29,0 | -    | PP204 | US204 | 12,80         | 6,65             | 0,2  | 20        |
| -    | 33,3 | PP204 | ES204 | 12,80         | 6,65             | 0,3  |           |
| 34,0 | -    | PP205 | US205 | 14,00         | 7,88             | 0,4  | 25        |
| -    | 38,1 | PP205 | ES205 | 14,00         | 7,88             | 0,4  |           |
| 40,3 | -    | PP206 | US206 | 19,50         | 11,20            | 0,6  | 30        |
| -    | 44,5 | PP206 | ES206 | 19,50         | 11,20            | 0,6  |           |
| 48,0 | -    | PP207 | US207 | 25,70         | 15,20            | 0,9  | 35        |
| -    | 55,6 | PP207 | ES207 | 25,70         | 15,20            | 1,0  |           |

## Housing PF200




PF203...207




PF208...212

| Shaft diameter |         | Main dimensions [mm] |       |       |      |     |      |      |      |
|----------------|---------|----------------------|-------|-------|------|-----|------|------|------|
| Unit           |         |                      |       |       |      |     |      |      |      |
| d<br>[mm]      |         | H                    | J     | J2    | A    | A1  | N    | B1   | s    |
| 12             | USPF201 | 81,0                 | 63,5  | 49,0  | 6,7  | 4,0 | 7,1  | 22,0 | 6,0  |
|                | ESPF201 | 81,0                 | 63,5  | 49,0  | 6,7  | 4,0 | 7,1  | 28,6 | 6,5  |
| 15             | USPF202 | 81,0                 | 63,5  | 49,0  | 6,7  | 4,0 | 7,1  | 22,0 | 6,0  |
|                | ESPF202 | 81,0                 | 63,5  | 49,0  | 6,7  | 4,0 | 7,1  | 28,6 | 6,5  |
| 17             | USPF203 | 81,0                 | 63,5  | 49,0  | 6,7  | 4,0 | 7,1  | 22,0 | 6,0  |
|                | ESPF203 | 81,0                 | 63,5  | 49,0  | 6,7  | 4,0 | 7,1  | 28,6 | 6,5  |
| 20             | USPF204 | 90,5                 | 71,5  | 55,0  | 7,7  | 4,0 | 8,7  | 25,0 | 7,0  |
|                | ESPF204 | 90,5                 | 71,5  | 55,0  | 7,7  | 4,0 | 8,7  | 30,9 | 7,5  |
| 25             | USPF205 | 95,2                 | 76,0  | 60,0  | 8,7  | 4,0 | 8,7  | 27,0 | 7,5  |
|                | ESPF205 | 95,2                 | 76,0  | 60,0  | 8,7  | 4,0 | 8,7  | 30,9 | 7,5  |
| 30             | USPF206 | 112,7                | 90,5  | 71,0  | 9,0  | 5,0 | 10,5 | 30,0 | 8,0  |
|                | ESPF206 | 112,7                | 90,5  | 71,0  | 9,0  | 5,0 | 10,5 | 35,7 | 9,0  |
| 35             | USPF207 | 122,2                | 100,0 | 81,0  | 10,0 | 5,0 | 10,5 | 32,0 | 8,5  |
|                | ESPF207 | 122,2                | 100,0 | 81,0  | 10,0 | 5,0 | 10,5 | 38,9 | 9,5  |
| 40             | USPF208 | 147,8                | 119,0 | 91,0  | 10,0 | 7,0 | 13,5 | 34,0 | 9,0  |
|                | ESPF208 | 147,8                | 119,0 | 91,0  | 10,0 | 7,0 | 13,5 | 43,7 | 11,0 |
| 45             | USPF209 | 149,2                | 120,5 | 97,0  | 10,0 | 7,0 | 13,5 | 41,2 | 10,2 |
|                | ESPF209 | 149,2                | 120,5 | 97,0  | 10,0 | 7,0 | 13,5 | 43,7 | 11,0 |
| 50             | USPF210 | 155,6                | 127,0 | 102,0 | 10,5 | 8,0 | 13,5 | 43,5 | 10,9 |
|                | ESPF210 | 155,6                | 127,0 | 102,0 | 10,5 | 8,0 | 13,5 | 43,7 | 11,0 |
| 55             | USPF211 | 166,6                | 138,0 | 113,0 | 10,7 | 8,0 | 13,5 | 45,3 | 11,8 |
|                | ESPF211 | 166,6                | 138,0 | 113,0 | 10,7 | 8,0 | 13,5 | 48,4 | 12,0 |
| 60             | USPF212 | 176,2                | 147,6 | 122,0 | 11,9 | 8,0 | 13,5 | 53,7 | 14,9 |
|                | ESPF212 | 176,2                | 147,6 | 122,0 | 11,9 | 8,0 | 13,5 | 49,3 | 12,0 |





USPF200




ESPF200

|      |      | Housing | Bearing insert | Dynamic load rating | Static load rating | Weight | Shaft diameter |
|------|------|---------|----------------|---------------------|--------------------|--------|----------------|
| D1   | D2   |         |                | $C_r$<br>[kN]       | $C_{or}$<br>[kN]   | [kg]   | d<br>[mm]      |
| 24,6 | -    | PF203   | US201          | 9,55                | 4,78               | 0,2    | 12             |
| -    | 28,6 | PF203   | ES201          | 9,55                | 4,78               | 0,2    |                |
| 24,6 | -    | PF203   | US202          | 9,55                | 4,78               | 0,2    | 15             |
| -    | 28,6 | PF203   | ES202          | 9,55                | 4,78               | 0,2    |                |
| 24,6 | -    | PF203   | US203          | 9,55                | 4,78               | 0,2    | 17             |
| -    | 28,6 | PF203   | ES203          | 9,55                | 4,78               | 0,2    |                |
| 29,0 | -    | PF204   | US204          | 12,80               | 6,65               | 0,3    | 20             |
| -    | 33,3 | PF204   | ES204          | 12,80               | 6,65               | 0,3    |                |
| 34,0 | -    | PF205   | US205          | 14,00               | 7,88               | 0,4    | 25             |
| -    | 38,1 | PF205   | ES205          | 14,00               | 7,88               | 0,4    |                |
| 40,3 | -    | PF206   | US206          | 19,50               | 11,20              | 0,7    | 30             |
| -    | 44,5 | PF206   | ES206          | 19,50               | 11,20              | 0,7    |                |
| 48,0 | -    | PF207   | US207          | 25,70               | 15,20              | 0,9    | 35             |
| -    | 55,6 | PF207   | ES207          | 25,70               | 15,20              | 1,0    |                |
| 53,0 | -    | PF208   | US208          | 29,60               | 18,20              | 1,5    | 40             |
| -    | 60,3 | PF208   | ES208          | 29,60               | 18,20              | 1,6    |                |
| 57,2 | -    | PF209   | US209          | 31,85               | 20,80              | 1,7    | 45             |
| -    | 63,5 | PF209   | ES209          | 31,85               | 20,80              | 1,7    |                |
| 61,8 | -    | PF210   | US210          | 35,10               | 23,20              | 1,8    | 50             |
| -    | 69,9 | PF210   | ES210          | 35,10               | 23,20              | 1,8    |                |
| 69,0 | -    | PF211   | US211          | 43,55               | 29,20              | 2,2    | 55             |
| -    | 76,2 | PF211   | ES211          | 43,55               | 29,20              | 2,0    |                |
| 74,9 | -    | PF212   | US212          | 52,50               | 32,80              | 2,4    | 60             |
| -    | 84,2 | PF212   | ES212          | 52,50               | 32,80              | 2,3    |                |


Housing PFL200



| <div> <div>Shaft diameter</div> <div>Unit</div> </div> |          | Main dimensions [mm] |       |       |      |      |     |      |      |
|--------------------------------------------------------|----------|----------------------|-------|-------|------|------|-----|------|------|
| d<br>[mm]                                              |          | L                    | H     | J     | J2   | A    | A1  | N    | B1   |
| 12                                                     | USPFL201 | 58,7                 | 81,0  | 63,5  | 49,0 | 6,7  | 4,0 | 7,1  | 22,0 |
|                                                        | ESPFL201 | 58,7                 | 81,0  | 63,5  | 49,0 | 6,7  | 4,0 | 7,1  | 28,6 |
| 15                                                     | USPFL202 | 58,7                 | 81,0  | 63,5  | 49,0 | 6,7  | 4,0 | 7,1  | 22,0 |
|                                                        | ESPFL202 | 58,7                 | 81,0  | 63,5  | 49,0 | 6,7  | 4,0 | 7,1  | 28,6 |
| 17                                                     | USPFL203 | 58,7                 | 81,0  | 63,5  | 49,0 | 6,7  | 4,0 | 7,1  | 22,0 |
|                                                        | ESPFL203 | 58,7                 | 81,0  | 63,5  | 49,0 | 6,7  | 4,0 | 7,1  | 28,6 |
| 20                                                     | USPFL204 | 66,7                 | 90,5  | 71,5  | 55,0 | 7,7  | 4,0 | 8,7  | 25,0 |
|                                                        | ESPFL204 | 66,7                 | 90,5  | 71,5  | 55,0 | 7,7  | 4,0 | 8,7  | 30,9 |
| 25                                                     | USPFL205 | 71,0                 | 95,2  | 76,2  | 60,0 | 8,7  | 4,0 | 8,7  | 27,0 |
|                                                        | ESPFL205 | 71,0                 | 95,2  | 76,2  | 60,0 | 8,7  | 4,0 | 8,7  | 30,9 |
| 30                                                     | USPFL206 | 84,0                 | 112,7 | 90,5  | 71,0 | 9,0  | 5,0 | 10,5 | 30,0 |
|                                                        | ESPFL206 | 84,0                 | 112,7 | 90,5  | 71,0 | 9,0  | 5,0 | 10,5 | 35,7 |
| 35                                                     | USPFL207 | 93,7                 | 123,0 | 100,0 | 81,0 | 10,5 | 5,0 | 10,5 | 32,0 |
|                                                        | ESPFL207 | 93,7                 | 123,0 | 100,0 | 81,0 | 10,5 | 5,0 | 10,5 | 38,9 |
| 40                                                     | USPFL208 | 100,0                | 151,0 | 119,0 | 91,0 | 11,5 | 7,0 | 13,5 | 34,0 |
|                                                        | ESPFL208 | 100,0                | 151,0 | 119,0 | 91,0 | 11,5 | 7,0 | 13,5 | 43,7 |



USPFL200



ESPFL200

Housing

Bearing insert

Dynamic load rating



Static load rating

Weight


Shaft diameter

| s    | D1   | D2   |        |       | $C_r$<br>[kN] | $C_{or}$<br>[kN] | [kg] | d<br>[mm] |
|------|------|------|--------|-------|---------------|------------------|------|-----------|
| 6,0  | 24,6 | -    | PFL203 | US201 | 9,55          | 4,78             | 0,2  | 12        |
| 6,5  | -    | 28,6 | PFL203 | ES201 | 9,55          | 4,78             | 0,2  |           |
| 6,0  | 24,6 | -    | PFL203 | US202 | 9,55          | 4,78             | 0,2  | 15        |
| 6,5  | -    | 28,6 | PFL203 | ES202 | 9,55          | 4,78             | 0,2  |           |
| 6,0  | 24,6 | -    | PFL203 | US203 | 9,55          | 4,78             | 0,2  | 17        |
| 6,5  | -    | 28,6 | PFL203 | ES203 | 9,55          | 4,78             | 0,2  |           |
| 7,0  | 29,0 | -    | PFL204 | US204 | 12,80         | 6,65             | 0,2  | 20        |
| 7,5  | -    | 33,3 | PFL204 | ES204 | 12,80         | 6,65             | 0,3  |           |
| 7,5  | 34,0 | -    | PFL205 | US205 | 14,00         | 7,88             | 0,4  | 25        |
| 7,5  | -    | 38,1 | PFL205 | ES205 | 14,00         | 7,88             | 0,4  |           |
| 8,0  | 40,3 | -    | PFL206 | US206 | 19,50         | 11,20            | 0,6  | 30        |
| 9,0  | -    | 44,5 | PFL206 | ES206 | 19,50         | 11,20            | 0,6  |           |
| 8,5  | 48,0 | -    | PFL207 | US207 | 25,70         | 15,20            | 0,9  | 35        |
| 9,5  | -    | 55,6 | PFL207 | ES207 | 25,70         | 15,20            | 1,0  |           |
| 9,0  | 53,0 | -    | PFL208 | US208 | 29,60         | 18,20            | 1,1  | 40        |
| 11,0 | -    | 60,3 | PFL208 | ES208 | 29,60         | 18,20            | 1,2  |           |


Housing PFT200



| Shaft diameter<br>Unit |          | Main dimensions [mm] |       |       |      |      |     |      |      |
|------------------------|----------|----------------------|-------|-------|------|------|-----|------|------|
| d<br>[mm]              |          | H                    | H2    | J     | J2   | A    | A1  | N    | B1   |
| 20                     | USPFT204 | 33,3                 | 90,5  | 71,5  | 55,0 | 7,2  | 4,0 | 8,7  | 25,0 |
|                        | ESPFT204 | 33,3                 | 90,5  | 71,5  | 55,0 | 7,2  | 4,0 | 8,7  | 30,9 |
| 25                     | USPFT205 | 34,2                 | 95,2  | 76,0  | 60,0 | 8,7  | 4,0 | 8,7  | 27,0 |
|                        | ESPFT205 | 34,2                 | 95,2  | 76,0  | 60,0 | 8,7  | 4,0 | 8,7  | 30,9 |
| 30                     | USPFT206 | 40,2                 | 112,7 | 90,5  | 71,0 | 10,5 | 5,0 | 10,5 | 30,0 |
|                        | ESPFT206 | 40,2                 | 112,7 | 90,5  | 71,0 | 10,5 | 5,0 | 10,5 | 35,7 |
| 35                     | USPFT207 | 44,2                 | 122,2 | 100,0 | 81,0 | 10,5 | 5,0 | 10,5 | 32,0 |
|                        | ESPFT207 | 44,2                 | 122,2 | 100,0 | 81,0 | 10,5 | 5,0 | 10,5 | 38,9 |



USPFT200



ESPFT200

Housing

Bearing insert

Dynamic load rating

Static load rating

Weight

Shaft diameter

| s   | D1   | D2   |        |       | C <sub>r</sub><br>[kN] | C <sub>or</sub><br>[kN] | [kg] | d<br>[mm] |
|-----|------|------|--------|-------|------------------------|-------------------------|------|-----------|
| 7,0 | 29,0 | -    | PFT204 | US204 | 12,80                  | 6,65                    | 0,2  | 20        |
| 7,5 | -    | 33,3 | PFT204 | ES204 | 12,80                  | 6,65                    | 0,3  |           |
| 7,5 | 34,0 | -    | PFT205 | US205 | 14,00                  | 7,88                    | 0,4  | 25        |
| 7,5 | -    | 38,1 | PFT205 | ES205 | 14,00                  | 7,88                    | 0,4  |           |
| 8,0 | 40,3 | -    | PFT206 | US206 | 19,50                  | 11,20                   | 0,6  | 30        |
| 9,0 | -    | 44,5 | PFT206 | ES206 | 19,50                  | 11,20                   | 0,6  |           |
| 8,5 | 48,0 | -    | PFT207 | US207 | 25,70                  | 15,20                   | 0,9  | 35        |
| 9,5 | -    | 55,6 | PFT207 | ES207 | 25,70                  | 15,20                   | 1,0  |           |